Page 1 of 14



25 Mar. 2025, Houston, TX, USA V5.0

Subject: Status of Functional Forms Products with Respect to REACH-SVHC

Dear Most Valued Customer

Thank you for using POLYVANTIS products.

POLYVANTIS F&S manufactures and/or sells Form and Sheet products, including LEXAN™ film/sheet, LEXAN™ EXELL™ D sheet, LEXAN™ EXTRITE™ sheet, MARGARD™ sheet, PLASTECH™ sheet, SOUNDGLAZE™ sheet, CLINIWALL™ sheet, SUNXP™ sheet, VEROLITE™ sheet, CARBORON™ sheet, THERMOCLICK™ sheet, THERMOCLEAR™ sheet, THERMOCLEAR-PLUS™ sheet, STADECK™ panel, LEXAPANEL™ building system, and Film made from polyphenylene ether (PPE), Film made from polyetherimide (PEI) and ULTEM™ Sheet, Film made from Polybutylene terephthalate (PBT).

The POLYVANTIS Products do not contain restricted substances mentioned below as intentionally added components [above 0.1%[a]]b][c][d] w/w (each) threshold limits, if applicable], which refers to Registration, Evaluation, Authorization and Restriction of Chemical (EU REACH) Substances of Very High Concern (SVHC) on Regulation EC 1907/2006).

- Registration, Evaluation, Authorization and Restriction of Chemical (REACH) Substances of Very High Concern (SVHC) Ref: Regulation EC 1907/2006), as defined at: https://echa.europa.eu/candidate-list-table (Number of substances on the Candidate List: 242 as of Nov. 7, 2024)
 - [a] Except those products mentioned in **Annex I**, which contain **Potassium Perfluorobutane Sulfonate** (**KPFBS**) (C₄F₉O₃SK), CAS RN **29420-49-3**, at 0.30~0.52%. Products manufactured from this material should be assessed and follow EU REACH SVHC obligation guidelines for article notification.
 - [b] Except those products mentioned in Annex II, which contain 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV329) ($C_{20}H_{25}N_3O$), CAS RN 3147-75-9, at 0.10~0.6%. Products manufactured from this material should be assessed and follow EU REACH SVHC obligation guidelines for article notification.

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

Page 2 of 14

POLYVANTIS

- [c] Except those products mentioned in **Annex III**, which contain **Bumetrizole (UV326) (C**₁₇**H**₁₈**CIN**₃**O)**, CAS RN 3896-11-5, at 0.20~0.4%. Products manufactured from this material should be assessed and follow EU REACH SVHC obligation guidelines for article notification.
- [d] Except Grades **H6300N11**, **EFR735**, **EFR33**, **EFR33AC**, which contain **Triphenyl phosphate**, CAS RN 115-86-6, at 0.10~0.5%. Products manufactured from this material should be assessed and follow EU REACH SVHC obligation guidelines for article notification.

For those products in Annex I, II, III, the following legal obligations should be followed:

- (i) POLYVANTIS customer service could provide the respective product's SDS (GEN-SFS-PCRS, GEN-SFS-PEIR), which will disclose any REACH SVHC listed substances (>0.1%) in section 3 and section 15;
- (ii) EU and EEA suppliers of articles, which contain KPFBS or UV-329 or UV-326 above 0.1% w/w, have to provide sufficient information to allow safe use of the article to their customers. Upon request by a consumer, this information must be provided within 45 days of the receipt of the request;
- (iii) EU and EEA producers or importers of articles have to notify ECHA if (a) the substance is present in those articles in quantities totaling over 1 ton per producer or importer per year and (b) their articles contain KPFBS or UV-326 or UV-329 above 0.1 % w/w;
- (iv) EU suppliers of articles containing KPFBS or UV-326 or UV-329 above 0.1% w/w when placing them on the EU market have to submit information on these articles to ECHA. This information will be published in the SCIP database established under the Waste Framework Directive (WFD).

We are disclosing the above information, to the best of our knowledge, based upon data from our raw material suppliers or manufacturers. Please note that analysis of the raw materials and/or POLYVANTIS Product(s) for presence of the above-mentioned substances on a routine basis neither is a part of our quality control plan, nor is a part of the POLYVANTIS Product specifications, and hence it shall not be construed as any warranty, expressed or implied.

Do note that the information above is current as on the date of this letter. This letter is based upon information currently available to Seller. I trust the above information will be of use to you.

This declaration replaces all previous ones relating to this subject matter and is, unless revoked in writing, valid for a period of 1 (one) year as of the date of issuance, after which it will automatically

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

Semi-finished polymethyl methacrylate (PMMA) products from POLYVANTIS are sold on the European, Asian, African and Australian continents under the registered trademark PLEXIGLAS®, in the Americas under the registered trademark ACRYLITE®, both owned by Röhm GmbH, Darmstadt, or its affiliates. Semi-finished polycarbonate (PC) products from POLYVANTIS are sold under the registered trademark LEXANTM owned by SABIC Innovative Plastics B.V., Bergen op Zoom, or its affiliates.

 $\ensuremath{\mathbb{R}}$ / $^{\ensuremath{\mathsf{TM}}}$ are registered trademarks

Page 3 of 14



expire. Should you have further questions about POLYVANTIS products, please contact your POLYVANTIS commercial representative.

In the name of the manufacturer, for POLYVANTIS

Stephen S. Dimond, Ph.D.

Stephen & Dimon

Sr. Manager, from SABIC Product Stewardship on behalf of POLYVANTIS'

POLYVANTIS

http://www.polyvantis.com/

Enclosure:

Annex I: POLYVANTIS products containing KPFBS (CAS RN 29420-49-3) (>0.1%) Annex II: POLYVANTIS products containing UV329 (CAS RN 3147-75-9) (>0.1%) Annex III: POLYVANTIS products containing UV326 (CAS RN 3896-11-5) (>0.1%)

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

Page 4 of 14

POLYVANTIS

Annex I: POLYVANTIS products containing KPFBS (CAS RN 29420-49-3) (>0.1%)

Product Line	Product name	KPFBS (%)
Film made polyetherimide (PEI)	1000B-1000	0.3%≤X<0.5%
LEXAN™ film	EFR535-701	0.4%≤X<0.6%
LEXAN™ film	EFR535A-701	0.4%≤X<0.6%
LEXAN™ film	EFR535AC-701	0.4%≤X<0.6%
LEXAN™ film	EFR565-701	0.4%≤X<0.6%
LEXAN™ film	EFR565A-701	0.4%≤X<0.6%
LEXAN™ film	EFR565AC-701	0.4%≤X<0.6%
LEXAN™ film	EFR565TAC-701	0.4%≤X<0.6%
LEXAN™ film	EFR566-701	0.4%≤X<0.6%
LEXAN™ film	EFR63-NC	0.4%≤X<0.6%
LEXAN™ film	EFR65-701	0.4%≤X<0.6%
LEXAN™ film	EFR65A-701	0.4%≤X<0.6%
LEXAN™ film	EFR65AC-701	0.4%≤X<0.6%
LEXAN™ film	EFR65-BK1G	0.4%≤X<0.6%
LEXAN™ film	EFR65-BK1G140	0.4%≤X<0.6%
LEXAN™ film	EFR65CS-701	0.4%≤X<0.6%
LEXAN™ film	EFR65-NC	0.4%≤X<0.6%
LEXAN™ film	EFR75A-701	0.4%≤X<0.6%
LEXAN™ film	EFR75A-7A1D334	0.4%≤X<0.6%
LEXAN™ film	EFR75A-7A8D075	0.4%≤X<0.6%
LEXAN™ film	EFR75A-8A9D186	0.4%≤X<0.6%
LEXAN™ film	EFR75AC-701	0.4%≤X<0.6%
LEXAN™ film	EFR75AC-7A1D334	0.4%≤X<0.6%
LEXAN™ film	EFR75AC-7A8D075	0.4%≤X<0.6%
LEXAN™ film	EFR75AC-8A9D186	0.4%≤X<0.6%
LEXAN™ film	EFR85-701	0.4%≤X<0.6%
LEXAN™ film	EFR85CS-701	0.4%≤X<0.6%
LEXAN™ film	EFR95-701	0.4%≤X<0.6%
LEXAN™ film	EFR95A-701	0.4%≤X<0.6%
LEXAN™ film	EFR95A-8A9D186	0.4%≤X<0.6%
LEXAN™ film	EFR95A-AB	0.4%≤X<0.6%
LEXAN™ film	EFR95AC-701	0.4%≤X<0.6%
LEXAN™ film	EFR95AC-7A8D075	0.4%≤X<0.6%
LEXAN™ film	EFR95AC-8A9D186	0.4%≤X<0.6%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (II) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

^{® / ™} are registered trademarks

Page 5 of 14

POLYVANTIS

Product Line	Product name	KPFBS (%)
LEXAN™ film	EFR95A-MG1	0.4%≤X<0.6%
LEXAN™ film	EFR95CK-701	0.4%≤X<0.6%
LEXAN™ film	EFR95CS-701	0.4%≤X<0.6%
LEXAN™ film	EFR95M-701	0.4%≤X<0.6%
LEXAN™ film	EFR95-NC	0.4%≤X<0.6%
LEXAN™ sheet	ES001818-7G8A2041	0.2%≤X<0.4%
LEXAN™ film	ES002223-701	0.4%≤X<0.6%
LEXAN™ film	ES002224-701	0.4%≤X<0.6%
LEXAN™ film	EXSP088-701	0.4%≤X<0.6%
LEXAN™ film	EXSP088-NC	0.4%≤X<0.6%
LEXAN™ film	EXSP1973-112	0.3%≤X<0.5%
LEXAN™ film	EXSP982-701	0.4%≤X<0.6%
LEXAN™ sheet	H6700-7G8A2041	0.2%≤X<0.4%
LEXAN™ sheet	H6700N11-7G8A2041	0.2%≤X<0.4%

Annex II: POLYVANTIS products containing UV329 (CAS RN 3147-75-9) (>0.1%)

Trade mark	Product name	UV329 (%)
LEXAN™ film	8020-7A1D	0.1%≤X<0.2%
LEXAN™ film	8020T-3G2A5325T	0.1%≤X<0.2%
LEXAN™ film	8020T-4G6A5327T	0.1%≤X<0.2%
LEXAN™ film	8020T-6124	0.1%≤X<0.2%
LEXAN™ film	80650-11295	0.2%≤X<0.3%
LEXAN™ film	8A13E-WH9E141	0.2%≤X<0.3%
LEXAN™ film	8B24A-701	0.2%≤X<0.3%
LEXAN™ sheet	9030-112	0.1%≤X<0.2%
LEXAN™ sheet	9030-GN2D099T	0.1%≤X<0.2%
LEXAN™ sheet	9030HO-41051	0.1%≤X<0.2%
LEXAN™ sheet	9030HO-GN9018T	0.1%≤X<0.2%
LEXAN™ sheet	9030M5-71383	0.1%≤X<0.2%
LEXAN™ sheet	9030M5-BR5G075T	0.1%≤X<0.2%
LEXAN™ sheet	9030M5-GY5G248T	0.1%≤X<0.2%
LEXAN™ sheet	9030M6-31436	0.1%≤X<0.2%
LEXAN™ sheet	9030M6-51076	0.1%≤X<0.2%
LEXAN™ sheet	9030M6-51077	0.1%≤X<0.2%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{\rm TM}$ are registered trademarks

Page 6 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ sheet	9030M6-71002	0.1%≤X<0.2%
LEXAN™ sheet	9030M6-71151	0.1%≤X<0.2%
LEXAN™ sheet	9030M6-GY2G042T	0.1%≤X<0.2%
LEXAN™ sheet	9030MR-RD5A055T	0.1%≤X<0.2%
LEXAN™ sheet	9030P-112	0.3%≤X<0.4%
LEXAN™ sheet	9030SM-4133	0.1%≤X<0.2%
LEXAN™ sheet	9030SM-9G2A0480	0.1%≤X<0.2%
LEXAN™ sheet	9030TG-112	0.1%≤X<0.2%
LEXAN™ sheet	9030-WH4C083X	0.1%≤X<0.3%
LEXAN™ sheet	9030-WH6D060X	0.1%≤X<0.3%
LEXAN™ sheet	903142-RD5G131T	0.1%≤X<0.2%
LEXAN™ sheet	90314-RD1B128T	0.1%≤X<0.2%
LEXAN™ sheet	903173U-82379	0.1%≤X<0.2%
LEXAN™ sheet	90342-51028	0.1%≤X<0.2%
LEXAN™ sheet	90342-61036	0.1%≤X<0.2%
LEXAN™ sheet	90342-71175	0.1%≤X<0.2%
LEXAN™ sheet	9034-31479	0.1%≤X<0.2%
LEXAN™ sheet	9034-4133	0.1%≤X<0.2%
LEXAN™ sheet	9034-6139	0.1%≤X<0.2%
LEXAN™ sheet	9034-70561	0.1%≤X<0.2%
LEXAN™ sheet	9034-71885	0.1%≤X<0.2%
LEXAN™ sheet	9034-BL5G163T	0.1%≤X<0.2%
LEXAN™ sheet	9034-GN4A048T	0.1%≤X<0.2%
LEXAN™ sheet	9034-GY2H010T	0.1%≤X<0.2%
LEXAN™ sheet	9034-GY3H042	0.1%≤X<0.2%
LEXAN™ sheet	9034HOF-GN4G050T	0.1%≤X<0.2%
LEXAN™ sheet	9034HOF-GN5G058T	0.1%≤X<0.2%
LEXAN™ sheet	9034HPM-VT6H002T	0.1%≤X<0.2%
LEXAN™ sheet	9034-RD4G126	0.1%≤X<0.2%
LEXAN™ sheet	9034-RD6G038X	0.1%≤X<0.2%
LEXAN™ sheet	9034S-WH4G036X	0.1%≤X<0.2%
LEXAN™ sheet	9034T-3G7A4578T	0.1%≤X<0.2%
LEXAN™ sheet	9034TG-112	0.3%≤X<0.4%
LEXAN™ sheet	9034THO-GY3A019T	0.1%≤X<0.2%
LEXAN™ sheet	9034THO-GY6F028T	0.1%≤X<0.2%
LEXAN™ sheet	9034-WH4G036X	0.1%≤X<0.3%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{{\scriptscriptstyle \mathsf{TM}}}$ are registered trademarks

Page 7 of 14

POLYVANTIS

Product name	UV329 (%)
9034-WH7C154X	0.1%≤X<0.3%
90355-70561	0.1%≤X<0.2%
90355-WH5G100	0.1%≤X<0.2%
90355-WH8410	0.1%≤X<0.2%
90355-WH8A158X	0.1%≤X<0.2%
9M23SHC-W65	0.1%≤X<0.2%
9M23SHC-W70	0.1%≤X<0.2%
9M23SHC-W85	0.1%≤X<0.2%
BSI24-112	0.4%≤X<0.5%
BSI24N18-112	0.2%≤X<0.3%
CCA24N18-112	0.2%≤X<0.3%
CCA24N18-8250	0.2%≤X<0.3%
CCB24N18-112	0.2%≤X<0.3%
CCB24N18-8250	0.2%≤X<0.3%
CCK24N18-112	0.2%≤X<0.3%
CCK24N18-8230	0.2%≤X<0.3%
CCT24N18-112	0.2%≤X<0.3%
CPT24-020	0.1%≤X<0.5%
CPT24-BR4F011T	0.1%≤X<0.5%
CPT24-GN8D052T	0.1%≤X<0.5%
CS14-112	0.3%≤X<0.4%
CS24-112	0.3%≤X<0.4%
CTG-RD5A055T	0.1%≤X<0.2%
DL5034-111N	0.1%≤X<0.2%
DSS1372-GN8A081T	0.1%≤X<0.2%
ES001819-RD3G182X	0.1%≤X<0.2%
ET-112	0.4%≤X<0.5%
ET14-112	0.4%≤X<0.5%
ET24-020	0.2%≤X<0.5%
ET24-112	0.2%≤X<0.5%
ET24-2350	0.2%≤X<0.5%
ET24-328	0.2%≤X<0.5%
ET24-525	0.2%≤X<0.5%
ET24-5350	0.2%≤X<0.5%
ET24-8250	0.2%≤X<0.5%
ET24MO-112	0.4%≤X<0.5%
	9034-WH7C154X 90355-70561 90355-WH5G100 90355-WH8410 90355-WH8A158X 9M23SHC-W65 9M23SHC-W70 9M23SHC-W85 BSI24-112 BSI24N18-112 CCA24N18-112 CCA24N18-112 CCB24N18-8250 CCK24N18-112 CCK24N18-112 CCK24N18-112 CCT24N18-112 CCT24N18-112 CPT24-020 CPT24-BR4F011T CPT24-GN8D052T CS14-112 CS24-112 CTG-RD5A055T DL5034-111N DSS1372-GN8A081T ES001819-RD3G182X ET-112 ET14-112 ET24-020 ET24-112 ET24-020 ET24-328 ET24-5350 ET24-5350 ET24-8250

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

^{® / ™} are registered trademarks

Page 8 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
CARBORON™ sheet	ET24MO-2350	0.4%≤X<0.5%
CARBORON™ sheet	ET-5350	0.4%≤X<0.5%
LEXAN™ sheet	ETFR24MO-2001206	0.2%≤X<0.3%
LEXAN™ sheet	ETFR24MO-GY2E383	0.2%≤X<0.3%
LEXAN™ sheet	ETFR24N11-2001206	0.2%≤X<0.3%
LEXAN™ sheet	ETFR24N11-BL4E226	0.2%≤X<0.3%
LEXAN™ sheet	ETFR24N11-WH9E598	0.2%≤X<0.3%
LEXAN™ EXELL™ D sheet	EXELLD-112	0.1%≤X<0.2%
LEXAN™ EXELL™ D sheet	EXELLDOB-WH7D136O	0.2%≤X<0.3%
LEXAN™ EXELL™ D sheet	EXELLDP-112	0.1%≤X<0.4%
LEXAN™ EXELL™ D sheet	EXELLDP-515081	0.1%≤X<0.4%
LEXAN™ EXELL™ D sheet	EXELLDPOB-WH7D136O	0.5%≤X<0.6%
LEXAN™ EXELL™ D sheet	EXELLDP-WH9G217	0.1%≤X<0.4%
LEXAN™ EXELL™ D sheet	EXELLDSTP-112	0.2%≤X<0.5%
LEXAN™ EXELL™ D sheet	EXELLDSTP-515081	0.2%≤X<0.5%
LEXAN™ EXELL™ D sheet	EXELLDSTPSCI-GN8A0	0.2%≤X<0.5%
LEXAN™ EXELL™ D sheet	EXELLDSTP-WH7D136O	0.2%≤X<0.5%
LEXAN™ EXELL™ D sheet	EXELLD-WH7D287O	0.1%≤X<0.2%
LEXAN™ EXTRITE™ sheet	EXTRITE1-WH7D287O	0.1%≤X<0.2%
LEXAN™ EXTRITE™ sheet	EXTRITE2-WH7D287O	0.1%≤X<0.2%
LEXAN™ sheet	F2000-WH6D060X	0.2%≤X<0.3%
LEXAN™ sheet	F2000-WH9D656O	0.2%≤X<0.3%
LEXAN™ sheet	F2005-WH6D060X	0.2%≤X<0.3%
LEXAN™ sheet	F2100SM-VT5E071T	0.1%≤X<0.2%
LEXAN™ sheet	F2104-112	0.1%≤X<0.2%
LEXAN™ sheet	F2104-5109	0.1%≤X<0.2%
LEXAN™ sheet	F2104-61076	0.1%≤X<0.2%
LEXAN™ sheet	F2104-713	0.1%≤X<0.2%
LEXAN™ sheet	F2104-7G7A4618	0.1%≤X<0.2%
LEXAN™ sheet	F2104-BL4G080T	0.1%≤X<0.2%
LEXAN™ sheet	F2104-BR7191T	0.1%≤X<0.2%
LEXAN™ sheet	F2104S-112	0.1%≤X<0.2%
LEXAN™ sheet	F2104S-5109	0.1%≤X<0.2%
LEXAN™ sheet	F2104S-713	0.1%≤X<0.2%
LEXAN™ sheet	F2104-VT4G009T	0.1%≤X<0.2%
LEXAN™ sheet	F2104-VT5E071T	0.1%≤X<0.2%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

^{® / ™} are registered trademarks

Page 9 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ sheet	F210MR-112	0.1%≤X<0.2%
LEXAN™ sheet	F210MR-5109	0.1%≤X<0.2%
LEXAN™ sheet	F210MR-71122	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-112	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-5109	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-71122	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-713	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-71704	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-71893	0.1%≤X<0.2%
LEXAN™ sheet	F214M5-BR1062T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRAC-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRAC-5109	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRAC-71122	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRT102-71002	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRT102-GY1A032T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FMRT102-GY3A019T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA25C-51076	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA25C-71002	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA460-31436	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA460-51077	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA460-71151	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	FRA460-GY2G042T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	HLG10-112	0.1%≤X<0.2%
LEXAN™ sheet	LC100DG-112	0.4%≤X<0.5%
THERMOCLEAR™ sheet	LT2UV2RS1000-OR5A044T	0.1%≤X<0.2%
THERMOCLEAR™ sheet	LT2UV2RS1000-RD2A130X	0.1%≤X<0.2%
THERMOCLEAR™ sheet	LT2UV2RS1000-YW4084T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MR10-71383	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MR10-BR5G075T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MR10-GY5G248T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MR5-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MR5EOBFR-WH6D060X	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MRAC-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MRAC-713	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MRAC-71704	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MRAC-71893	0.1%≤X<0.2%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{{\scriptscriptstyle \mathsf{TM}}}$ are registered trademarks

Page 10 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ MARGARD™ sheet	MRAC-BR1062T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MRFAF1-71599	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	MROQ-112	0.1%≤X<0.2%
CARBORON™ sheet	PT-112	0.3%≤X<0.4%
CARBORON™ sheet	PT24-112	0.1%≤X<0.5%
CARBORON™ sheet	PT24-5350	0.1%≤X<0.5%
CARBORON™ sheet	PT24-7350	0.1%≤X<0.5%
CARBORON™ sheet	PT24-77320	0.1%≤X<0.5%
CARBORON™ sheet	PT24-BK1G024	0.1%≤X<0.5%
CARBORON™ sheet	PT24-WH9E598	0.1%≤X<0.5%
CARBORON™ sheet	PT24-WH9G217	0.1%≤X<0.5%
CARBORON™ sheet	PT-3350	0.1%≤X<0.5%
CARBORON™ sheet	PT-5350	0.1%≤X<0.5%
CARBORON™ sheet	PT-77320	0.1%≤X<0.5%
LEXAN™ sheet	PTFR-112	0.1%≤X<0.2%
LEXAN™ film	SD8B24-WH5B099	0.2%≤X<0.3%
LEXAN™ film	SDCX50-WH5B099	0.1%≤X<0.2%
LEXAN™ sheet	SG305OBFR-WH6D060X	0.1%≤X<0.2%
LEXAN™ sheet	SG305OB-WH7C154X	0.2%≤X<0.3%
LEXAN™ sheet	SG305OB-YW6E092O	0.2%≤X<0.3%
LEXAN™ sheet	SG305-WH7G068O	0.1%≤X<0.2%
LEXAN™ sheet	SG308-6139	0.1%≤X<0.2%
LEXAN™ sheet	SG308-6139C	0.1%≤X<0.2%
LEXAN™ sheet	SG308-BL2B088T	0.1%≤X<0.2%
LEXAN™ sheet	SG308-GN7D066T	0.1%≤X<0.2%
LEXAN™ sheet	SG308-OR5B033T	0.1%≤X<0.2%
LEXAN™ sheet	SG308-RD2A015T	0.1%≤X<0.2%
LEXAN™ sheet	SG308-RD2H006C	0.1%≤X<0.2%
LEXAN™ sheet	SG308-RD4D200T	0.1%≤X<0.2%
LEXAN™ sheet	SG308-YW4G023T	0.1%≤X<0.2%
LEXAN™ sheet	SG404-501642C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-L2119	0.1%≤X<0.2%
LEXAN™ sheet	SG404-L2119C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-L2447	0.1%≤X<0.2%
LEXAN™ sheet	SG404-L2793	0.1%≤X<0.2%
LEXAN™ sheet	SG404-L2793C	0.1%≤X<0.2%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{\rm TM}$ are registered trademarks

Page 11 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ sheet	SG404-RD4E154X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD5G053C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD5G053X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6046C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6G038C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6G038X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6G045X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6G046C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-RD6G046X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-WH7G074X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-WH9G186C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-WH9G186X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-WH9G240X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6D045C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G032X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G038C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G038X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G039C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G039X	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G042C	0.1%≤X<0.2%
LEXAN™ sheet	SG404-YW6G042X	0.1%≤X<0.2%
LEXAN™ sheet	SG410-BL4271X	0.1%≤X<0.2%
LEXAN™ sheet	SG410-GN6106X	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-BL2B088T	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-GN7D066T	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-OR5B033T	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-RD2A015T	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-RD4D200T	0.1%≤X<0.2%
LEXAN™ sheet	SGC308-YW4G023T	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-L2447	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-L2793	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-L2793C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-RD5G053C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-RD5G053X	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-RD6G038C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-RD6G038X	0.1%≤X<0.2%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{\rm TM}$ are registered trademarks

Page 12 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ sheet	SGC404-WH7G074X	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-WH9G186C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-WH9G186X	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-YW6D045C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-YW6G038X	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-YW6G039C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-YW6G042C	0.1%≤X<0.2%
LEXAN™ sheet	SGC404-YW7H016C	0.1%≤X<0.2%
LEXAN™ sheet	SGC44OB-WH7C154C	0.2%≤X<0.3%
LEXAN™ sheet	SGC44OB-WH7C154X	0.2%≤X<0.3%
LEXAN™ sheet	SL1216D-71002	0.1%≤X<0.2%
LEXAN™ sheet	SL1216D-GY1A032T	0.1%≤X<0.2%
LEXAN™ sheet	SL1216D-GY3A019T	0.1%≤X<0.2%
LEXAN™ sheet	SL3000OQ-111N	0.1%≤X<0.2%
CARBORON™ sheet	SP24-8215	0.4%≤X<0.5%
CARBORON™ sheet	SP24-8230	0.3%≤X<0.4%
CARBORON™ sheet	SP24-8240	0.2%≤X<0.3%
CARBORON™ sheet	SP24-WH8E490X	0.1%≤X<0.2%
CARBORON™ sheet	SP24-WH8E491XLX	0.1%≤X<0.2%
CARBORON™ sheet	SP24-WH8E492XLX	0.1%≤X<0.2%
CARBORON™ sheet	SP24-WH8E508X	0.1%≤X<0.2%
CARBORON™ sheet	SP-8230	0.3%≤X<0.5%
CARBORON™ sheet	SP-8230S	0.3%≤X<0.5%
LEXAN™ sheet	SPD1000A-112	0.1%≤X<0.2%
LEXAN™ sheet	SPD1000A-51076	0.1%≤X<0.2%
LEXAN™ sheet	SPD1000A-71002	0.1%≤X<0.2%
LEXAN™ sheet	SPD1000A-71599	0.1%≤X<0.2%
LEXAN™ sheet	SPD1000A-GY3A019T	0.1%≤X<0.2%
LEXAN™ sheet	SPD1003A-112	0.1%≤X<0.2%
LEXAN™ EXELL™ D sheet	SPDEXELLDOFR-WH6D060X	0.1%≤X<0.2%
CARBORON™ sheet	SPFR-WH6240	0.1%≤X<0.2%
LEXAN™ sheet	SPLUX24-WH8E492X	0.1%≤X<0.2%
CARBORON™ sheet	SP-WH8E492X	0.1%≤X<0.2%
CARBORON™ sheet	SP-WH8E508X	0.1%≤X<0.2%
LEXAN™ sheet	ULG1000A-112	0.1%≤X<0.2%
LEXAN™ sheet	XL102UV-21051	0.1%≤X<0.2%
TOOLATMED THE MATERIAL DRODUCTO AND CERVIS	CEC OF FOC D.V. FOC HOLLIC DOLVA (ANTEC C. I.I. DOLVA (AN	

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

 $^{{\}rm \circledR}$ / $^{\rm TM}$ are registered trademarks

Page 13 of 14

POLYVANTIS

Trade mark	Product name	UV329 (%)
LEXAN™ sheet	XL102UV-80569	0.1%≤X<0.2%
LEXAN™ sheet	XL102UV-8G6A1770	0.1%≤X<0.2%
LEXAN™ sheet	XL10-8G6A1770	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFMRAC-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFMRAC-5109	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFMRAC-71122	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFMRT102-GY1A032T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFMRT102-GY3A019T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA25C-51076	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA25C-71002	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA460-31436	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA460-51077	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA460-71151	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZFRA460-GY2G042T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZHLG10-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMR10-71383	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMR10-BR5G075T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMR10-GY5G248T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMR5EOBFR-WH6D060X	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-112	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-5109	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-713	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-71704	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-71893	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMRAC-BR1062T	0.1%≤X<0.2%
LEXAN™ MARGARD™ sheet	ZMROQ-112	0.1%≤X<0.2%

Annex III: POLYVANTIS products containing UV326 (CAS RN 3896-11-5) (>0.1%)

Trade mark	Product name	UV326 (%)
LEXAN™ film	8030DDX-RD4146T	0.2%≤X<0.4%
LEXAN™ MARGARD™ sheet	CTGXTAF-OR4D012T	0.2%≤X<0.4%
LEXAN™ MARGARD™ sheet	CTGXTAF-BL2A531T	0.2%≤X<0.4%
LEXAN™ MARGARD™ sheet	ZCTGXTAF-BL2A531T	0.2%≤X<0.4%
LEXAN™ MARGARD™ sheet	ZCTGXTAF-OR4D012T	0.2%≤X<0.4%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

^{® / ™} are registered trademarks

Page 14 of 14

POLYVANTIS

LEXAN™ sheet	SPD1002-BL2A531T	0.2%≤X<0.4%
LEXAN™ sheet	SPD1002-OR4D012T	0.2%≤X<0.4%

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF F&S B.V., F&S US LLC, POLYVANTIS GmbH, POLYVANTIS Sanford LLC, OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER" or "POLYVANTIS") ARE SOLD SUBJECT TO RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UNDER https://www.polyvantis.com/en/terms-conditions AND UPON REQUEST. Information, technical advice and recommendations contained in this document OR provided otherwise are based on POLYVANTIS' present knowledge and experience and are given in good faith. HOWEVER, POLYVANTIS MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (II) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING POLYVANTIS' MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN RESPECTIVE SELLER'S STANDARD CONDITIONS OF SALE, POLYVANTIS SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of POLYVANTIS' materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis by qualified experts. Nothing in any document or oral statements shall be deemed to alter or waive any provision of respective Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by POLYVANTIS. Statements by POLYVANTIS concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of POLYVANTIS or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

Semi-finished polymethyl methacrylate (PMMA) products from POLYVANTIS are sold on the European, Asian, African and Australian continents under the registered trademark PLEXIGLAS®, in the Americas under the registered trademark ACRYLITE®, both owned by Röhm GmbH, Darmstadt, or its affiliates. Semi-finished polycarbonate (PC) products from POLYVANTIS are sold under the registered trademark LEXAN™ owned by SABIC Innovative Plastics B.V., Bergen op Zoom, or its affiliates.

® / ™ are registered trademarks